




Republic of the Philippines
MURCIA WATER DISTRICT
 Municipality of Murcia
 Province of Negros Occidental
 Email add: murciawaterdistrict@gmail.com
 Tel/Fax No. (034) 458-8844

REQUEST FOR QUOTATION


P.R. No.: EOM-2024-05-039
ABC: 129,600.00
Name of Supplier: _____
Address: _____

Please quote your bid price on the items / listed below, subject to the General Condition on the last page, stating the shortest time of delivery and submit your quotation duly signed by your representative in the returned envelope attached herewith.


CHARMAINE V. FLORES
 BAC Secretariat

Note: 1) All entries must be legible.
 2) Service / Delivery Period within the number of days agreed upon between the supplier and the Procuring Entity.
 3) Warranty shall be for a period of _____ from date of acceptance by the procuring entity.
 4) Price validity shall be a period of at least _____ calendar days.
 5) PhilGEPS Registration Certificate shall be attached upon submission of the Quotation, if applicable.
 6) Bidders shall submit Original Brochures showing certification of the product being offered (optional).
 7) Mode of Delivery: [] Pick-up (Schedule) [] Door to Door Delivery
 8) Place of Delivery: **MURCIA WATER DISTRICT**
 9) Delivery Period: **within 15 days upon receipt P.O**
 10) Terms of Payment: **within 30 days after delivery**
 11) All items are subject to 6% VAT.

Item No.	Unit	Item and Description	Quantity	Unit Price	Total Amount
1	bottle	Arsenic (As)	6		
2	bottle	Cadmium (Cd)	9		
3	bottle	Lead (Pb)	9		
4	bottle	NITRATE (NO3)	6		
5	bottle	COLOR (APPARENT)	12		
6	bottle	TURBIDITY ANALYSIS	9		
7	bottle	pH	12		
8	bottle	TOTAL DISSOLVED SOLIDS (TDS)	6		
9	bottle	BENZENE	3		
10	bottle	RON (Fe) ANALYSIS	3		

Item No.	Unit	Item and Description	Quantity	Unit Price	Total Amount
11	bottle	MANGANESE (Mn) ANALYSIS	3		
12	bottle	SULFATE	3		
13	bottle	CHLORIDE (Cl) ANALYSIS	3		
14	bottle	TOTAL HARDNESS	3		
15	bottle	TRIHALOMETHANES Bromoform, Dibromochloromethane, Bromodichloromethane, chloroform	3		
16	bottle	TASTE	6		
17	bottle	ODOR Laboratory to conduct the analysis should be DOH accredited and the methods for analysis is within the standards set by PNSDW 2017.	6		
Grand Total					
Amount in Words: _____					
After having carefully read and accepted your General Condition. I / We quote you on the item at prices noted above.					
_____ Printed Name / Signature					
_____ Tel. No. / Fax No.					
_____ TIN No.					
_____ Date					
Canvasser/Procurement Unit:  Lady Lee M. Alintana					