



Republic of the Philippines  
**MURCIA WATER DISTRICT**  
Municipality of Murcia  
Province of Negros Occidental  
Email add: murciawaterdistrict@gmail.com  
Tel/Fax No. (034) 458-8844

### REQUEST FOR QUOTATION

P.R. No.: **EOM-2025-05-051**

ABC: **157,200.00**

Name of Supplier: \_\_\_\_\_

Address: \_\_\_\_\_

Please quote your bid price on the items / listed below, subject to the General Condition on the last page, stating the shortest time of delivery and submit your quotation duly signed by your representative in the returned envelope attached here with.

**CHARMAINE V. FLORES**

BAC Secretariat

Note: 1) All entries must be legible.

2) Service / Delivery Period within the number of days agreed upon between the supplier and the Procuring Entity.

3) Warranty shall be for a period of \_\_\_\_\_ from date of acceptance by the procuring entity.

4) Price validity shall be a period of at least \_\_\_\_\_ calendar days.

5) PhilGEPS Registration Certificate shall be attached upon submission of the Quotation, if applicable.

6) Bidders shall submit Original Brochures showing certification of the product being offered (optional).

7) Mode of Delivery: ☐ Pick-up (Schedule) ☒ Door to Door Delivery

8) Place of Delivery: **MURCIA WATER DISTRICT ADMIN OFFICE**

9) Delivery Period: **WITHIN 15 DAYS UPON RECEIVING OF SAMPLE**

10) Terms of Payment: **WITHIN 30 DAYS UPON COMPLETE DELIVERY**

11) All items are subject to 6% VAT.

Item No.	Unit	Item and Description	Quantity	Unit Price	Total Amount
1	bottle	Arsenic (As)	7		
2	bottle	Cadmium (Cd)	10		
3	bottle	Lead (Pb)	10		
4	bottle	NITRATE (NO3)	7		
5	bottle	COLOR (APPARENT)	13		
6	bottle	TURBIDITY ANALYSIS	10		
7	bottle	pH	13		
8	bottle	TOTAL DISSOLVED SOLIDS (TDS)	7		
9	bottle	BENZENE	4		
10	bottle	IRON (Fe) ANALYSIS	4		
11	bottle	MANGANESE (Mn) ANALYSIS	4		
12	bottle	CHLORIDE (Cl) ANALYSIS	4		

Item No.	Unit	Item and Description	Quantity	Unit Price	Total Amount
13	bottle	SULFATE	4		
14	bottle	TOTAL HARDNESS	4		
15	bottle	TRIHALOMETHANES Bromoform, Dibromochloromethane, Bromodichloromethane, chloroform	4		
16	bottle	TASTE	7		
17	bottle	ODOR Laboratory to conduct the analysis should be DOH accredited and the methods for analysis is within the standards set by PNSDW 2017.	7		
<b>Grand Total</b>					

Amount in Words: \_\_\_\_\_


After having carefully read and accepted your General Condition. I / We quote you on the item at prices noted above.

\_\_\_\_\_  
Printed Name / Signature

\_\_\_\_\_  
Tel. No. / Fax No.

\_\_\_\_\_  
TIN No.

\_\_\_\_\_  
Date

Canvasser/Procurement Unit:  Lady Lee M. Alintana